

SK-EH204

ANESTHESIA MACHINE





SK-EH204

FEATURES AND HIGHLIGHTS

The characteristics of

MJ-560Be3 Anesthesia Machine, with its ergonomic design, integrates a concise and smooth structure and high mobility. The microcomputer. controlled Ventilator adopts exported sensors and other components. Its scientific and proper design as well as rigorous production process are what demonstrate the inner quality of Aokai products: mechanical ventilation is made secure and visible by the folded respiratory bellows. and the security of ail supply is guaranteed by pneumatic transmission and measurement system. With multiple modern technologies applied, the Anesthesia Machine is both outstanding in performance and versatile in functions

Part of Ventilator

- The Ventilator adopts microcomputer control with high-definition colored LCD display integrating the functions of respiratory control and displaying the monitoring parameters. It is versatile in function and excellent in performance:
- The high-precision Vaporizer is designed with a stable concentration output, automatic compensation for pressuretemperature and flow rate.
- High-definition four-tube flowmeter, designed with stoppers for oxygen and nitrous oxide to control the output oxygen concentration
- Reliable pneumatic transmission system;
 Economic and proper configuration oftechnologicsoptional as required by the Customer;
- Modularized design and upgrading. Upgrading is available as required by the Customer.



Liquid crystal display (LCD) High-definition LCD screen display



Integrated design

Perfect design of respiratory circuit with respiratory bellows



Flow control system

High precision flow control systemmeets versatile applications,especially for low-flow anesthesia Backlight of flowmeter: provide help when operating room is dark



Compensation function

It has the function of automatic compensation based on pressure, temperature, and flow rate. The regulation range oft evaporator concentration is 0~5vo1%. Among HalothaneEnfluranelsoflurane and Sevoflurane two can be chose for application as required by the customer













Manufacturing



Maintenance





Saikang Medical Technology, Inc. 17800 Castleton St Ste 180, City of Industry, 91748, California. Tel.: +1 949648 2776

United Kingdom

UK Healthward International Ltd. Dept. 111, 196 High Road Wood Green, N22 8HH, London. Tel.: +44 2032399738

Russia

Saikang Medical Russia LLC Truda 174, 454080 Chelyabinsk. Tel.: +7 (351) 214 5566 / 8811 / 1516

East Africa

Saikang Medical Solutions Ltd. Viraj Complex Unit 3, Mombasa Road, P.O. Box 14262-00800, Nairobi. Kenya. Tel.: +254 733 704 690

Middle East

Saikang Medical Supplies LLC X22-S03 England Cluster, International City, Dubai. United Arab Emirates. Tel.: +20 128 8962497



by Saikang Medical

Jiangsu Saikang Medical Equipment Co., Ltd. STOCK CODE: 870098

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China



export@sksurgitech.com

www.sksurgitech.com

















General catalogue